

TABLE 2 - TABEL 2
 PROVISIONS RELATING TO THE RECOGNITION OF VARIETIES
 BEPALINGS BETREFFENDE DIE ERKENNING VAN VARIËTEITE

Kind of plant		Category	Period for evaluation (years) (S.22)
Botanical name	Common name		
1		2	3
<i>Actinidia</i> spp.	Kiwi fruit	C	5
× <i>Agrotriticum</i> Cif. et Giacom	Agrotriticum (<i>Agropyron</i> × <i>Triticum</i>)	A	3
<i>Allium cepa</i> L.	Onion	A	3
<i>Allium fistulosum</i> L.	Bunching onion	A	3
<i>Allium fistulosum</i> L. × <i>A. cepa</i> L.	New Bunching onion	A	3
<i>Allium porrum</i> L.	Leek	A	3
<i>Anacardium occidentale</i> L.	Cashew nut	C	5
<i>Anthephora pubescens</i> Nees	Bottle brush grass	A	4
<i>Arachis hypogaea</i> L.	Groundnut	A	3
<i>Asparagus officinalis</i> L.	Asparagus	A	3
<i>Avena nuda</i> L.	Naked oats	A	4
<i>Avena sativa</i> L.	Oats	A	4
<i>Avena sativa</i> L. [incl. <i>A. byzantina</i> K.Koch]	Red oats	A	4
<i>Avena strigosa</i> Schreb.	Black oats	A	4
<i>Bertholletia excelsa</i> Humb. & Bonpl.	Brazil nut	C	5
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>alba</i> DC.	Fodder beet	A	3
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>saccharifera</i> Alef.	Sugar beet	A	3
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef.	Garden beet	A	3
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>flavescens</i> DC. f. <i>crispa</i>	Swiss chard	A	3
<i>Brassica napus</i> L.	Forage rape	A	3
<i>Brassica napus</i> L. var. <i>napus</i>	Oilseed rape	A	3
<i>Brassica napus</i> L. var. <i>napobrassica</i> (L.) Rchb.	Swede	A	3
<i>Brassica oleracea</i> L. var. <i>viridis</i> L.	Fodder kale	A	3
<i>Brassica oleracea</i> L. var. <i>gongylodes</i> L.	Kohlrabi, Stem turnip	A	3
<i>Brassica oleracea</i> L. var. <i>sabellica</i> L.	Curly kale, Borecole	A	3
<i>Brassica oleracea</i> L. var. <i>botrytis</i>	Cauliflower	A	3
<i>Brassica oleracea</i> L. var. <i>italica</i> Plenck	Broccoli	A	3
<i>Brassica oleracea</i> L. var. <i>capitata</i> L.Alef.	Cabbage	A	3
<i>Brassica oleracea</i> L. var. <i>sabauda</i> L.	Savoy cabbage	A	3
<i>Brassica oleracea</i> L. var. <i>gemmifera</i> DC.	Brussels sprouts	A	3
<i>Brassica rapa</i> L. subsp. <i>chinensis</i> (L.) Hanelt [incl. <i>B. campestris</i> L.; <i>B. chinensis</i> L.; <i>B. pekinensis</i> (Lour.) Rupr.; <i>B. perviridis</i> (L.H. Bailey) L.H. Bailey]	Chinese cabbage, pak-choi	A	3
<i>Brassica rapa</i> L. var. <i>rapa</i>	Turnip	A	3
<i>Bromus catharticus</i> Vahl	Rescue grass	A	4
<i>Cajanus cajan</i> (L.) Huth	Pigeon pea	A	3
<i>Capsicum</i> spp.	Chilli, hot pepper	A	3
<i>Capsicum</i> spp.	Sweet pepper	A	3
<i>Capsicum</i> spp.	Paprika	A	3
<i>Capsicum</i> spp. [incl. hybrids]	Pepper rootstock	A	3
<i>Carica papaya</i> L.	Papaya	C	5
<i>Carya illinoensis</i> (Wagenh.) K. Koch	Pecan nut	C	5
<i>Castanea sativa</i> Mill.	Chestnut	C	5
<i>Cenchrus ciliaris</i> L.	Blue buffalo grass	A	4
<i>Chloris gayana</i> Kunth	Rhodes grass	A	4
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Naikai	Watermelon	A	3
<i>Citrus</i> spp.	Lemon, lime, orange, tangerine, mandarin & mandarin hybrids, grapefruit and pummelo	C	8
<i>Camellia sinensis</i> (L.) O. Kuntze [syn. <i>Thea sinensis</i> L.]	Tea	C	5
<i>Coffea</i> spp.	Coffee	C	5

Kind of plant		Category	Period for evaluation (years) (S.22)
Botanical name	Common name		
1		2	3
<i>Coriandrum sativum</i> L.	Coriander	A	3
<i>Corylus avellana</i> L.	Hazel nut	C	5
<i>Cucumis melo</i> L.	Sweet melon	A	3
<i>Cucumis sativus</i> L.	Cucumber	A	3
<i>Cucumis</i> spp. [incl. hybrids]	Rootstock	A	3
<i>Cucurbita maxima</i> Duch.	Pumpkin	A	3
<i>Cucurbita moschata</i> Duch.	Pumpkin, Squash	A	3
<i>Cucurbita pepo</i> L.	Squash	A	3
<i>Cucurbita</i> spp. [incl. hybrids]	Rootstock	A	3
<i>Cydonia</i> spp.	Quince	C	5
<i>Cydonia</i> spp.	Quince rootstock	C	5
<i>Dactylis glomerata</i> L.	Cocksfoot	A	4
<i>Daucus carota</i> L.	Carrot	A	3
<i>Desmodium intortum</i> (Mill.) Urb.	Green leaf desmodium	A	3
<i>Desmodium uncinatum</i> (Jacq.) DC.	Silver leaf desmodium	A	3
<i>Digitaria eriantha</i> Steud. [syn. <i>D. smutsii</i> Stent; <i>D. decumbens</i> Stent]	Smuts finger grass	A	4
<i>Echinochloa crus-galli</i> (L.) P. Beauv.	Japanese millet	A	3
<i>Eleusine corocana</i> (L.) Gaertn.	Finger millet	A	3
<i>Eragrostis curvula</i> (Schrad.) Nees	Weeping lovegrass	A	4
<i>Eragrostis tef</i> (Zucc.) Trotter	Teff	A	4
<i>Fagopyrum esculentum</i> Moench	Buckwheat	A	3
<i>Festuca arundinacea</i> Schreb.	Tall fescue	A	4
× <i>Festulolium</i> Asch. & Graebn.	Festulolium	A	4
<i>Ficus</i> spp.	Fig	C	5
<i>Foeniculum vulgare</i> Mill.	Fennel	A	3
<i>Fortunella</i> spp.	Kumquat	C	8
<i>Fragaria xananassa</i> Duchesne ex Rozier	Strawberry	A	3
<i>Glycine max</i> (L.) Merr.	Soya bean	A	3
<i>Gossypium hirsutum</i> L.	Cotton	A	3
<i>Helianthus annuus</i> L.	Sunflower	A	3
<i>Hordeum vulgare</i> L. subsp. <i>vulgare</i>	Barley	A	4
<i>Juglans regia</i> L.	Walnut	C	5
<i>Kummerowia striata</i> (Thunb.) Schindl. [syn. <i>Lespedeza striata</i> (Thunb.) Hook. et Arn.]	Common Lespedeza	A	3
<i>Lablab purpureus</i> (L.) Sweet [syn. <i>Dolichos lablab</i> L.]	Lab-Lab bean	A	3
<i>Lactuca sativa</i> L.	Lettuce	A	3
<i>Lespedeza cuneata</i> (Dum. Cours.) G. Don	Chinese Lespedeza	A	3
<i>Lespedeza striata</i> (Thunb.) Hook. & Arn. – see <i>Kummerowia striata</i>			
<i>Litchi chinensis</i> Sonn	Litchi	C	5
<i>Lolium xhybridum</i> Hausskn. [syn. <i>L. xboucheanum</i> Kunth]	Hybrid ryegrass	A	4
<i>Lolium multiflorum</i> Lam.	Italian and Westerworld ryegrass	A	4
<i>Lolium perenne</i> L.	Perennial ryegrass	A	4
<i>Lolium rigidum</i> Gaudin	Wimmeria ryegrass, Annual ryegrass	A	4
<i>Lotus corniculatus</i> L.	Bird's-foot trefoil	A	3
<i>Lupinus albus</i> L.	White lupin	A	3
<i>Lupinus angustifolius</i> L.	Narrow leaf lupin	A	3
<i>Lupinus luteus</i> L.	Yellow lupin	A	3
<i>Lycopersicon esculentum</i> Mill. [syn. <i>L. lycopersicum</i> (L.) H. Karst.] – see <i>Solanum lycopersicum</i>			
<i>Lycopersicon</i> spp. [including hybrids / insluitend basters] – see <i>Solanum</i> spp.			
<i>Macadamia</i> spp.	Macadamia nut	C	5
<i>Malus</i> spp.	Apple	C	5
<i>Mangifera indica</i> L.	Mango	C	5
<i>Medicago littoralis</i> Rhode ex Loisel.	Strand medic	A	3
<i>Medicago polymorpha</i> L.	Burr medic	A	3

Kind of plant		Category	Period for evaluation (years) (S.22)
Botanical name	Common name		
1		2	3
<i>Medicago rugosa</i> Desr.	Gama medic	A	3
Medicago sativa L. [incl. <i>Medicago x varia</i> Martyn; <i>M. falcata</i> L.]	Lucerne	A	3
<i>Medicago scutellata</i> (L.) Mill.	Snail medic	A	3
<i>Medicago truncatula</i> Gaertn.	Barrel medic	A	3
Megathyrsus maximus (Jacq.) B.K. Simon & S.W.L. Jacobs [syn. <i>Panicum maximum</i> Jacq.]	White buffalo grass	A	4
<i>Melilotus albus</i> Medik.	White sweet clover	A	3
<i>Nicotiana tabacum</i> L.	Tobacco	A	4
<i>Olea europaea</i> L.	Olive	C	5
<i>Ornithopus compressus</i> L.	Yellow serradella	A	3
<i>Ornithopus sativus</i> Brot.	French serradella	A	3
<i>Oryza sativa</i> L.	Rice	A	3
<i>Panicum coloratum</i> L.	Small Buffalo grass	A	4
<i>Panicum maximum</i> Jacq. – see Megathyrsus maximus			
<i>Paspalum dilatatum</i> Poir.	Dallis grass	A	4
<i>Paspalum notatum</i> Flügge	Bahia grass	A	4
<i>Passiflora</i> spp.	Granadilla	C	5
<i>Pastinaca sativa</i> L.	Parsnip	A	3
<i>Pennisetum clandestinum</i> Hochst. ex Chiov.	Kikuyu	A	4
<i>Pennisetum glaucum</i> (L.) R. Br.	Pearl millet	A	3
<i>Persea americana</i> Mill.	Avocado	C	5
<i>Petroselinum crispum</i> (Mill.) Fuss	Parsley	A	3
<i>Phalaris aquatica</i> L.	Phalaris	A	4
<i>Phaseolus coccineus</i> L.	Kidney bean	A	3
<i>Phaseolus vulgaris</i> L.	Dry bean,	A	3
<i>Phaseolus vulgaris</i> L.	Garden bean – Runner	A	3
<i>Phaseolus vulgaris</i> L.	Garden bean – Dwarf	A	3
<i>Pistacia</i> spp.	Pistachio	C	5
<i>Pisum sativum</i> L. s. l.	Dry pea	A	3
<i>Pisum sativum</i> L. s. l.	Garden pea	A	3
<i>Poncirus trifoliata</i> Raf.	Trifoliolate orange	C	8
<i>Prunus amygdalus</i> Batsch – see Prunus dulcis			
<i>Prunus armeniaca</i> L.	Apricot	C	5
<i>Prunus avium</i> (L.) L.	Sweet cherry	C	5
<i>Prunus cerasus</i> L.	Sour cherry	C	5
<i>Prunus domestica</i> L.	Plum	C	5
Prunus dulcis (Mill.) D. Webb (syn. <i>Prunus amygdalus</i> Batsch)	Almond	C	5
<i>Prunus persica</i> (L.) Batsch	Peach	C	5
<i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> Schneid	Nectarine	C	5
<i>Prunus salicina</i> Lindl.	Japanese plum	C	5
<i>Psidium guajava</i> L.	Guava	C	5
<i>Pyrus</i> spp.	Pear	C	5
<i>Raphanus sativus</i> L. var. <i>oleiformis</i> Pers.	Fodder radish	A	3
<i>Raphanus sativus</i> L. var. <i>sativus</i>	Garden radish, small radish	A	3
<i>Ricinus communis</i> L.	Castor bean	A	3
<i>Secale cereale</i> L.	Rye	A	4
<i>Setaria sphacelata</i> (Schum.) Stapf & C. E. Hubb.	Common setaria	A	4
<i>Sinapis alba</i> L.	White mustard	A	3
Solanum lycopersicum L. [syn. <i>Lycopersicon esculentum</i> Mill., <i>L. lycopersicum</i> (L.) H. Karst.]	Tomato	A	3
<i>Solanum melongena</i> L.	Eggplant, Aubergine, Brinjal	A	3
<i>Solanum tuberosum</i> L.	Potato	A	3
Solanum spp. and hybrids (excl. <i>S. tuberosum</i> L., <i>S. elaeagnifolium</i> Cav.) and <i>Solanum</i> spp. and hybrids [syn. <i>Lycopersicon</i> spp. and hybrids]	Rootstock	A	3

Kind of plant		Category	Period for evaluation (years) (S.22)
Botanical name	Common name		
1		2	3
<i>Sorghum bicolor</i> (L.) Moench subsp. <i>bicolor</i> [syn. <i>S. vulgare</i> Pers.; incl. <i>S. dochna</i> (Forssk.) Snowden]	Grain sorghum, Industrial sorghum	A	3
<i>Sorghum</i> spp. (excl. <i>S. halepense</i> (L.) Pers.)	Forage sorghum – annual	A	3
<i>Sorghum</i> spp. (excl. <i>S. halepense</i> (L.) Pers.)	Forage sorghum –perennial	A	3
<i>Sporobolus fimbriatus</i> (Trin.) Nees	Dropseed grass, Rush grass	A	4
<i>Stylosanthes hamata</i> (L.) Taub.	Caribbean stylo	A	3
<i>Thea sinensis</i> L. – see <i>Camellia sinensis</i>			
<i>Trifolium fragiferum</i> L.	Strawberry clover	A	3
<i>Trifolium hirtum</i> All.	Rose clover	A	3
<i>Trifolium incarnatum</i> L.	Crimson clover	A	3
<i>Trifolium pratense</i> L.	Red clover	A	3
<i>Trifolium repens</i> L.	White clover	A	3
<i>Trifolium resupinatum</i> L.	Persian clover	A	3
<i>Trifolium subterraneum</i> L.	Subterranean clover	A	3
<i>Trifolium vesiculosum</i> Savi	Arrow leaf clover	A	3
× <i>Triticosecale</i> Wittm. ex A. Camus (<i>Triticum</i> × <i>Secale</i>)	Triticale	A	4
<i>Triticum aestivum</i> L. subsp. <i>aestivum</i>	Wheat	A	4
<i>Triticum durum</i> Desf. – see <i>Triticum turgidum</i>			
<i>Triticum turgidum</i> L. subsp. <i>durum</i> (Desf.) van Slageren [syn. <i>Triticum durum</i> Desf.]	Durum wheat	A	4
<i>Vicia faba</i> L.	Broad bean	A	3
<i>Vicia sativa</i> L. [incl. <i>V. angustifolia</i> L.]	Common vetch	A	3
<i>Vicia villosa</i> Roth [incl. <i>V. dasycarpa</i> Ten.]	Hairy vetch	A	3
<i>Vigna unguiculata</i> (L.) Walp. [syn. <i>V. sinensis</i> (L.) Savi ex Hassk.; incl. <i>Dolichos biflorus</i> L.]	Cowpea	A	3
<i>Vitis</i> L.	Grapevine	C	3
<i>Zea mays</i> L.	White and Yellow maize	B	3
<i>Zea mays</i> L.	Sweetcorn	A	3

[Table 2 of the Regulations as substituted and amended by R. 1621 of 22 July 1983, R. 2173 of 28 September 1984, R. 1287 of 14 June 1985, R. 1522 of 12 July 1985, R. 1489 of 11 July 1986, R. 1903 of 12 September 1986, R. 1700 of 7 August 1987, R. 2496 of 9 December 1988, R. 1518 of 14 July 1989, R. 76 of 18 January 1991, R. 1638 of 12 July 1991, R. 1971 of 16 August 1991, R. 2618 of 18 September 1992, R. 1590 of 27 August 1993, R. 2057 of 29 October 1993, R. 513 of 18 March 1994, R. 1465 of 26 August 1994, R. 1976 of 22 December 1995, R. 97 of 24 January 1997, R. 1207 of 1 December 2000 and substituted by No. 1210 of 13 November 2020.]

[Tabel 2 van die Regulasies soos vervang en gewysig deur R. 1621 van 22 Julie 1983, R. 2173 van 28 September 1984, R. 1287 van 14 Junie 1985, R. 1522 van 12 Julie 1985, R. 1489 van 11 Julie 1986, R. 1903 van 12 September 1986, R. 1700 van 7 Augustus 1987, R. 2496 van 9 Desember 1988, R. 1518 van 14 Julie 1989, R. 76 van 18 Januarie 1991, R. 1638 van 12 Julie 1991, R. 1971 van 16 Augustus 1991, R. 2618 van 18 September 1992, R. 1590 van 27 Augustus 1993, R. 2057 van 29 Oktober 1993, R. 513 van 18 Maart 1994, R. 1465 van 26 Augustus 1994, R. 1976 van 22 Desember 1995, R. 97 van 24 Januarie 1997, R. 1207 van 1 Desember 2000 en vervang deur No. 1210 van 13 November 2020]